

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	35	workflow\$4 near3 load near4 balanc\$4 and (@ad<="20010207" or @rlad<="20010207")	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/20 13:09
L3	2	(send\$4 or transmit\$4) near4 work\$flow with (another or other or many or multiple or several) near4 server and (@ad<="20010207" or @rlad<="20010207")	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/20 13:11
L4	1156	work\$flow near4 management and (@ad<="20010207" or @rlad<="20010207")	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/20 13:12
L5	354	work\$flow near4 management same servers and (@ad<="20010207" or @rlad<="20010207")	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/20 13:13
L6	192	work\$flow near4 management with servers and (@ad<="20010207" or @rlad<="20010207")	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/20 13:13

L7	38	(work\$flow near4 management with servers).ab,ti. and (@ad<="20010207" or @rlad<="20010207")	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/20 13:13
L8	39	((work\$flow or WFMS) near4 management with servers).ab,ti. and (@ad<="20010207" or @rlad<="20010207")	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/20 13:17
L9	1	I8 not I7	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/20 13:42
L10	1170	(work\$flow or WFMS).ab,ti. and (@ad<="20010207" or @rlad<="20010207")	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/20 13:43
L11	72225	("709").CLAS.	US-PGPUB; USPAT; USOCR; FFRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/02/20 13:43
L12	117	I10 and I11	US-PGPUB; USPAT; USOCR; FFRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/02/20 13:43

L13	211	((work\$flow or WFMS) with server).ab,ti. and @ad<="20010207" or @rlad<="20010207")	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/20 13:44
L14	41	I13 and I11	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/20 13:44
S1	4	((("6308163") or ("5522070")).PN.	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/13 09:36
S2	8	((("6073111") or ("6041306") or ("6278977") or ("6073109")).PN.	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/13 09:40
S3	23945	(709/201,217,218,219,223,224,225).CCLS.	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/13 09:40
S4	4018	(705/7,8).CCLS.	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/13 09:40

S5	100	S4 and S3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/13 09:41
S6	23	(work\$flow) with queue same (send\$4 or transmit \$4) and @ad<="20010207"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/13 09:46
S7	32	(multiple or many) with activit\$4 same work\$flow same server and @ad<="20010207"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/13 09:49
S8	1	(multiple or many) with activit\$4 same work\$flow same queue and @ad<="20010207"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/13 09:47
S9	25616	load with balanc\$4 and @ad<="20010207"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/13 09:50
S10	1458	work\$flow with activit\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/13 09:50

S11	73	S9 and S10	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/13 09:50
S12	710	work\$flow same queue	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/13 09:50
S13	77	S12 and S9	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/13 09:51
S14	48	S12 and S11	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/13 09:51
S15	17	S14 not S7	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/13 09:51
S16	2	("6449646").PN.	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/13 10:11

S17	8	((("5881238") or ("5948065") or ("6247056") or ("6334114"))).PN.	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/13 10:51
S18	2	("5826239").PN.	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/13 10:51
S19	733	(activit\$4 or request) same work\$flow and @ad<="20010207"	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 16:54
S20	238	(multiple or many or several) same (activit\$4 or request) same work\$flow and @ad<="20010207"	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 16:55
S21	138	(multiple or many or several) with (activit\$4 or request) same work\$flow and @ad<="20010207"	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 16:55
S22	71	(multiple or many or several) with (activit\$4 or request) with work\$flow and @ad<="20010207"	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 17:00

S23	7	((multiple or many or several) with (activit\$4 or request) with work\$flow).ab,ti. and @ad<="20010207"	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 16:55
S24	28	(multiple or many or several) with (activit\$4 or request) with work\$flow not image and @ad<="20010207"	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 17:04
S25	2	(multiple or many or several) with (activit\$4 or request) with work\$flow not image and e \$commerce and @ad<="20010207"	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 17:04
S26	2	("20020178037").PN.	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/12 09:35
S27	3	work\$flow near3 packet and (@ad<="20010207" or @rlad<="20010207")	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/12 09:48
S28	4400	work\$flow and (@ad<="20010207" or @rlad<="20010207")	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/12 09:50

S29	341	work\$flow same queue and (@ad<="20010207" or @rlad<="20010207")	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/12 09:51
S30	53	work\$flow same queue same load and (@ad<="20010207" or @rlad<="20010207")	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/12 09:51
S31	26	work\$flow with (many or multiple or several) near3 activit\$4 and (@ad<="20010207" or @rlad<="20010207")	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/12 09:54
S32	1	server near3 activit\$4 same workflow with packet and (@ad<="20010207" or @rlad<="20010207")	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/12 10:29
S33	12	activit\$4 same workflow with packet and (@ad<="20010207" or @rlad<="20010207")	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/12 10:29
S34	22	(retreiv\$4 or obtain\$4) near3 work\$flow near3 information and (@ad<="20010207" or @rlad<="20010207")	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/12 10:41



S35	205	work\$flow with queue and (@ad<="20010207" or @rlad<="20010207")	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/12 10:59
S36	9	(work\$flow with queue with database) and (@ad<="20010207" or @rlad<="20010207")	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/12 10:59
S37	39	database with queue same work\$flow and (@ad<="20010207" or @rlad<="20010207")	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/12 13:54
S38	9	database with queue with work\$flow and (@ad<="20010207" or @rlad<="20010207")	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/12 13:55
S39	11	(load near3 balanc\$4) same re\$assign\$4 same workflow and (@ad<="20010207" or @rlad<="20010207")	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/13 10:35
S40	11	(load near3 balanc\$4) same workflow same (transmit\$4 or send\$4) with queue and (@ad<="20010207" or @rlad<="20010207")	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/13 10:38

S41	0	S40 not S39	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/13 10:38
S42	21	(load near3 balanc\$4) same workflow and (transmit \$4 or send\$4) with queue and (@ad<="20010207" or @rlad<="20010207")	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/13 10:38
S43	10	S42 not S39	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/13 10:38
S44	0	server with (incapable) same (execut\$4 or process \$4) near3 workflow and (@ad<="20010207" or @rlad<="20010207")	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/13 10:44
S45	0	server same (incapable) same (execut\$4 or process \$4) near3 workflow and (@ad<="20010207" or @rlad<="20010207")	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/13 10:44
S46	94	workflow same (send\$4 or transmit\$4) same queue and (@ad<="20010207" or @rlad<="20010207")	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/13 10:50

S47	13	workflow same (send\$4 or transmit\$4) same queue same load near2 balanc\$4 and (@ad<="20010207" or @rlad<="20010207")	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/13 10:50
S48	2	S47 not S39	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/13 10:51
S49	2172402	load near3 balanc\$4 work workflow and (@ad<="20010207" or @rlad<="20010207")	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/13 10:58
S50	52	load near3 balanc\$4 with workflow and (@ad<="20010207" or @rlad<="20010207")	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/13 10:58
S51	41	S50 not S39	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/13 10:59
S52	1260	workflow same server and (@ad<="20010207" or @rlad<="20010207")	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/17 14:08

S53	1261	workflow\$4 same server and (@ad<="20010207" or @rlad<="20010207")	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/17 14:08
S54	158	workflow\$4 same (multiple or many or several) with server and (@ad<="20010207" or @rlad<="20010207")	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/17 14:09
S55	6	workflow\$4 same (multiple or many or several) with server same load near4 balanc\$4 and (@ad<="20010207" or @rlad<="20010207")	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/17 14:09

2/20/2009 2:38:30 PM

C:\Documents and Settings\btiv\My Documents\EAST\Workspaces\10055100\_workflow\_business\_activity.wsp